

ZERO[®]

CURVE CROWN

PENDEL/PENDANT



ZERO[®]

CURVE CROWN

PENDEL/PENDANT



ZERO[®]

CURVE CROWN

PENDEL/PENDANT



ZERO®

CURVE CROWN

PENDEL/PENDANT**Utförande**

Lackerad metall grön RAL 6017, vit RAL 9010, duvblå RAL 5014, elfenben RAL 1015.
 Andra färger och kombinationer på förfrågan.
 Bländskydd av matt akryl. Inbyggd LED modul dimbar 230V eller med DALI.
 Minst 3 armaturer krävs för att kunna bygga en Curve Crown, se exempel sid 7.
 Takkopp för upp till 6 armaturer kan beställas separat.

LED info

Inbyggd LED modul dimbar 230V eller med DALI. Systemeffekt 10W.
 Armaturlumen se produktfakta. Korrelerad färgtemperatur 3000K.
 Färgtolerans SDCM 3. Färgåtergivning RA >90. L70 B10 50.000 timmar.

Montage

I takkrok, 3 m vajer.

Anslutning

DCL plug alt. kopplingsplint i takkopp.

Design

Front Design 2022.

Finish

Painted metal green RAL 6017, white RAL 9010, pigeon blue RAL 5014, ivory RAL 1015. Other colours and combination on request. Diffuser in matt acrylic.
 Incorporated LED module. Mains dimmable or DALI.
 Minimum 3 fixtures are needed to build a Curve Crown, see examples on page 7.
 Joint ceiling cup for up to 6 fittings can be ordered separately.

LED info

Incorporated LED module. Mains dimmable or DALI. System power: 10W.
 Luminaire Luminous Flux: see specification. CCT 3000K. SDCM 3. CRI 90. L70/50000H.

Installation


In ceiling hook and 3 m wire.

Connection




DCL-plug or terminal block in ceiling cup.

Design

Front Design 2022.



Takkopp 6 armaturer/Ceiling cup 6 fittings



ZERO[®]

CURVE CROWN

PENDEL/PENDANT

PRODUKTFAKTA/PRODUCT SPECIFICATION

EFFEKT/POWER	LJUSFLÖDE/LUMINAIRE FLUX	D/mm	FÄRG/COLOUR	ART.
Med inbyggd LED modul 230V/With incorporated LED module 230V				
10W	710LM	150	Vit/White	16041101-30
10W	774LM	200	Vit/White	16041301-30
10W	783LM	300	Vit/White	16041501-30
10W	710LM	150	Grön/Green	16041112-30
10W	774LM	200	Grön/Green	16041312-30
10W	783LM	300	Grön/Green	16041512-30
10W	710LM	150	Duvblå/Pigeon blue	16041108-30
10W	749LM	200	Duvblå/Pigeon blue	16041308-30
10W	783LM	300	Duvblå/Pigeon blue	16041508-30
10W	710LM	150	Elfenben/Ivory	16041146-30
10W	749LM	200	Elfenben/Ivory	16041346-30
10W	783LM	300	Elfenben/Ivory	16041546-30

Tabellen fortsätter på nästa sida/The chart continues on the next page

ZERO®

CURVE CROWN

PENDEL/PENDANT






PRODUKTFAKTA/PRODUCT SPECIFICATION

EFFEKT/POWER	LJUSFLÖDE/LUMINAIRE FLUX	D/mm	FÄRG/COLOUR	ART.
Med inbyggd LED modul DALI/With incorporated LED module DALI				
10W	710LM	150	Vit/White	16041101D30
10W	774LM	200	Vit/White	16041301D30
10W	783LM	300	Vit/White	16041501D30
10W	710LM	150	Grön/Green	16041112D30
10W	774LM	200	Grön/Green	16041312D30
10W	783LM	300	Grön/Green	16013512D30
10W	710LM	150	Duvblå/Pigeon blue	16041108D30
10W	774LM	200	Duvblå/Pigeon blue	16041308D30
10W	783LM	300	Duvblå/Pigeon blue	16041508D30
10W	710LM	150	Elfenben/Ivory	16041146D30
10W	774LM	200	Elfenben/Ivory	16041346D30
10W	783LM	300	Elfenben/Ivory	16041546D30
TILLBEHÖR/ACCESSORY				
Takkopp för upp till 6 armaturer/Ceiling cup for up to 6 fittings			Vit/White	91223101
Takkopp för upp till 6 armaturer/Ceiling cup for up to 6 fittings			Svart/Black	91223106



CURVE CROWN

EXEMPEL/EXAMPLES



ZERO[®]

CURVE CROWN

PENDEL/PENDANT



Exempel med standard takkopp/Example with standard ceiling cup



Exempel med takkopp 91223101/Example with ceiling cup 91223101

ZERO[®]

CURVE CROWN

PENDEL/PENDANT



Exempel med standard takkopp/Example with standard ceiling cup



Exempel med takkopp 91223106/Example with ceiling cup 91223106



Head office:
Friluftsvägen
SE-382 28 Nybro, Sweden
+46(0)481 800 00
info@zero.se

Showroom Stockholm:
Södermalmsallén 36,
SE-118 28 Stockholm, Sweden
+46(0)8-545 850 00

info@zero.se