

ZERO[®]

LYX

POLE FIXTURE



ZERO[®] LYX
POLE FIXTURE



ZERO[®]

LYX

POLE FIXTURE





LYX

POLE FIXTURE

Utförande

Aluminium och zinkad metallstomme lackerad i svart RAL 9005.
Andra färger på begäran.
Yttre kupa av polycarbonat. Slipade glasprismor. Finns i fyra olika optiker.
Dubbel, trippel eller andra varianter produceras på förfrågan.

LED info

System effekt 19W. Armaturlumen 1990-2240LM. CCT 3000K. SDCM 3.
CRI 80. L70/60000H. Kan levereras med 2700K, 3500K, 4000K på begäran

Montage


Monteras på stolptopp D60 mm.

Anslutning

Kabel med snabbkoppling i stolpe.

Design

Jan Forsmark 2024.



Finish

Aluminum and zinked metal painted in black RAL 9005. Other colors on request.
Shade in polycarbonat and glass prisms. Available in four different optics.
Double, trippel or other variants produced on request.

LED info

System power: 19W Luminaire Luminous Flux: 1990-2240LM.
CCT 3000K. SDCM 3. 2700K, 3500K, 4000K on request.
CRI 80. L70/60000H.

Installation

Fits pole-top diameter 60 mm.
We recommend to use a local supplier of the pole as standards may vary between different countries. The pole we are able to supply are according to Swedish standards for buried foundation.

Connection

Cable and quick-plug included.

Design

Jan Forsmark 2024.





LYX

POLE FIXTURE



PRODUCT SPECIFICATION - Symmetrical

POWER	LUMINAIRE FLUX	KELVIN	CRI	FINISH		ART.
LED 19W	2190LM	3000	>80	Black	On/Off	12330106-30
LED 19W	2190LM	3000	>80	Black	DALI	12330106D30
LED 19W	2190LM	3000	>80	Black	Zhaga	12330106Z30

ACCESSORIES

Pole 60/128, 3-4 m above ground		Svart/Black				93230-1-06
Conical pole on request						



LYX

POLE FIXTURE



PRODUCT SPECIFICATION - Asymmetrical road

POWER	LUMINAIRE FLUX	KELVIN	CRI	FINISH		ART.
LED 19W	1990LM	3000	>80	Black	On/Off	12331106-30
LED 19W	1990LM	3000	>80	Black	DALI	12331106D30
LED 19W	1990LM	3000	>80	Black	Zhaga	12331106Z30

ACCESSORIES

Pole 60/128, 3-4 m above ground	Svart/Black	93230-1-06
Conical pole on request		



LYX

POLE FIXTURE



PRODUCT SPECIFICATION - Asymmetrical road wide

POWER	LUMINAIRE FLUX	KELVIN	CRI	FINISH		ART.
LED 19W	2209LM	3000	>80	Black	On/Off	12332106-30
LED 19W	2209LM	3000	>80	Black	DALI	12332106D30
LED 19W	2209LM	3000	>80	Black	Zhaga	12332106Z30


ACCESSORIES

Pole 60/128, 3-4 m above ground		Svart/Black				93230-1-06
Conical pole on request						



LYX

POLE FIXTURE



PRODUCT SPECIFICATION - Asymmetrical forward

POWER	LUMINAIRE FLUX	KELVIN	CRI	FINISH		ART.
LED 19W	2240LM	3000	>80	Black	On/Off	12333106-30
LED 19W	2240LM	3000	>80	Black	DALI	12333106D30
LED 19W	2240LM	3000	>80	Black	Zhaga	12333106Z30

ACCESSORIES

Pole 60/128, 3-4 m above ground	Svart/Black	93230-1-06
Conical pole on request		

ZERO® LYX

POLE FIXTURE - DOUBLE AND TRIPPLE PRODUCED - ON REQUEST



ZERO® LYX

POLE FIXTURE - DOUBLE AND TRIPPLE AND OTHER VARIANTS PRODUCED ON REQUEST



Head office:
Friluftsvägen 2,
SE-382 34 Nybro, Sweden
+46(0)481 800 00
info@zero.se

Showroom Stockholm:
Södermalmsallén 36,
SE-118 28 Stockholm, Sweden
+46(0)8-545 850 00

info@zero.se