

**ZERO**<sup>®</sup>

**SPRINKLE**

DOWNLIGHT



# ZERO® SPRINKLE

## DOWNLIGHT

### Utförande

Lackerad aluminium och metall. Vit RAL 9010 alt. zinkad. Zinkad modell har synliga skönhetsfel som slipmärken och andra defekter i olika grad. Ytan varierar mellan blank och matt och kan förändras över tid.

Andra färger på begäran.

### LED info

Exklusive ljuskälla. Vi rekommenderar dimbar LED ljuskälla 4,9W alt. 6,2/GU10 CRI 90 2700K alt. 3000K.

### Montage

Infälld i undertak.

### Anslutning

Kopplingsplint 3x2,5mm<sup>2</sup>

### Design

Note Design Studio 2024

### Finish

Aluminum and steel. Painted white RAL 9010 or raw zinc. The Zinked model have visible scratches and other imperfections that can vary in intensity across different shades. Additionally, the Zinked surface can fluctuate between a glossy and matte finish, which may evolve over time. Other colours on request. Textile cord in matching colour.

### LED info:

Excluding lightsource. We recomend dimmable Led lightsource 4,9W or 6,2W/GU10 CRI 90. 2700K or 3000K.

### Installation



Recessed in falce ceiling

### Connection

Terminal block 3x2,5mm<sup>2</sup>

### Design

Note Design Studio 2024



IP20



CE

50Hz

230V



# SPRINKLE

DOWNLIGHT

## PRODUCT SPECIFICATION

POWER	COLOR	ART.
Max 7W/GU10	White	12308101
Max 7W/GU10	Zinced	12308185

## ACCESSORIES


### LIGHT SOURCE GU10

4,9W/355LM	2700K	90	L70073
6,2W/515LM	3000K	90	L70074

**ZERO**<sup>®</sup>

**SPRINKLE**

DOWNLIGHT - ZINCED



**Head office:**

Flriluftsvägn 2  
SE-382 34 Nybro, Sweden  
+46(0)481 800 00  
info@zero.se

**Showroom Stockholm:**

Södermalmsallén 36,  
SE-118 28 Stockholm, Sweden  
+46(0)8-545 850 00

info@zero.se