


ZERO[®]

SPRINKLE


WALL & CEILING



ZERO[®]

SPRINKLE

WALL & CEILING



ZERO[®] SPRINKLE

WALL & CEILING

Utförande

Aluminium och stål. Lackerad vit RAL 9010. Andra färger på begäran.
Model 12307 har ett bländskydd av microprisma i centrum för ökat direktljus.

LED info

Systemeffekt: 10W, 21W. Armaturlumen: se tabell. Korrelerad färgtemperatur 3000K. SDCM 3. CRI 90. L70/B10 50.000H. Kan tillverkas med 2700K, 4000K på begäran.

Montage

I tak eller på vägg.

Anslutning

Snabbkopplingsplint 5x2,5mm².

Design

Note Design Studio 2024.

Finish

Aluminum and steel. Painted white RAL 9010. Other colours on request.
Model 12307 has a microprisma diffuser in the centre for increased direct light.

LED info

System power: 10W, 21W. Luminaire Luminous Flux: see chart. CCT 3000K. SDCM 3. CRI 90. L70/B10 50.000H. Can be delivered with 2700K, 4000K on request.

Installation




In ceiling or on wall.

Connection

Terminal block 5x2,5mm².

Design

Note Design Studio 2024.



12306-small



12307-small





SPRINKLE



WALL & CEILING

PRODUCT SPECIFICATION

POWER/LUMEN	KELVIN	CRI	COLOR	D/mm		ART.
With closed centre. Suitable for wall mounting.						
10W/194LM	3000K	90	White	280	On/off	12306101-30
10W/194LM	3000K	90	White	280	Dali	12306101D30
21W/380LM	3000K	90	White	640	On/off	12306301-30
21W/380LM	3000K	90	White	640	Dali	12306301D30
With microprisma centre. Suitable for ceiling mounting.						
10W/440LM	3000K	90	White	280	On/off	12307101-30
10W/440LM	3000K	90	White	280	Dali	12307101D30
21W/859LM	3000K	90	White	640	On/off	12307301-30
21W/859LM	3000K	90	White	640	Dali	12307301D30

12306-large


12307-large



ZERO[®]

SPRINKLE

WALL & CEILING



Head office:

Fliluftsvägn 2
SE-382 34 Nybro, Sweden
+46(0)481 800 00
info@zero.se

Showroom Stockholm:

Södermalmsallén 36,
SE-118 28 Stockholm, Sweden
+46(0)8-545 850 00

info@zero.se